

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **TM DESANA MAX FP**
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses cleaning agent
biocidal product
professional use (SU2)
industrial use (SU3)

Uses advised against do not use for squirting or spraying
do not use for products which come into direct contact with the skin

1.3 Details of the supplier of the safety data sheet

Thonhauser GmbH
Perlhofgasse 2/1
2372 Giesshübl/Wien
Austria

Telephone: +43 (0)2236 320 272
Telefax: +43 (0)2236 320 273
e-mail: QA@thonhauser.net
Website: www.thonhauser.net

e-mail (competent person) QA@thonhauser.net (Herr Dr. Daniel Herzog)

1.4 Emergency telephone number

Manufacturer **+43 699 141 80 200**
Mon - Thu 07:00 - 15:00, Fri 07:00 - 13:00

Poison centre & Emergency information service

United Kingdom	CHEMTREC UK 24/7 CCN 819393	+44 870 8200418
----------------	--------------------------------	-----------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

For full text of H-phrases: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
 Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word **danger**

- Pictograms

GHS05, GHS08



- Hazard statements

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling sodium hydroxide, disodium peroxodisulphate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Conc.	Classification acc. to GHS	Pictograms	M-Factors
Sodium hydroxide	CAS No 1310-73-2 EC No 215-185-5	50 - < 75 wt%	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318		
Potassium nitrate	CAS No 7757-79-1 EC No 231-818-8	5 - < 10 wt%	Ox. Sol. 3 / H272		
Disodium peroxodi-sulphate	CAS No 7775-27-1 EC No 231-892-1	5 - < 10 wt%	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 STOT SE 3 / H335		

For full text of abbreviations: see SECTION 16.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

Regulation 528/2012/EU concerning the making available on the market and use of biocidal products

Biocidal active substances			
Name of substance	Wt%	w/w	unit
Disodium peroxodisulphate	6.4 %	64	g/kg

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

nitrogen oxides (NO_x), phosphorus oxides (P_xO_y)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

covering of drains, take up mechanically

Advices on how to clean up a spill

Take up mechanically. Absorbents and binders, neutralising agents.

Appropriate containment techniques

Neutralisation techniques.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Incompatible substances or mixtures: see section 7. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

- Handling of incompatible substances or mixtures

Do not mix with acids.

- Keep away from

acids

- Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- Incompatible substances or mixtures

Prohibition of joint storage (with): acids

- Floors

The materials shall display sufficient resistance to the prevalent chemical conditions (Caustic solutions).

- Protect against external exposure, such as

frost

- Consideration of other advice

Observe technical data sheet.

Lagerklasse (storage class according to TRGS 510, Germany): 8 B (non-combustible corrosive materials)

- Ventilation requirements

Use local and general ventilation.

- Specific designs for storage rooms or vessels

Floors: The materials shall display sufficient resistance to the prevalent chemical conditions (Caustic solutions).

- Packaging compatibilities (Receptacles / Material)

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

These information are not available.

7.4 Other information

storage temperature of 0 °C and up to 20 °C
recommended storage temperature: 5 - 20 °C

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
GB	Dust		WEL		10					i	EH40/2005
GB	Dust		WEL		4					r	EH40/2005
GB	Sodium hydroxide	1310-73-2	WEL				2				EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur.

i Inhalable fraction.

r Respirable fraction.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

Notation

STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified).
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified).

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Sodium hydroxide	1310-73-2	DNEL	1 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - local effects
Potassium nitrate	7757-79-1	DNEL	20.8 mg/kg	Human, dermal	Worker (industry)	Chronic - systemic effects
Potassium nitrate	7757-79-1	DNEL	36.7 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Disodium peroxodisulphate	7775-27-1	DNEL	2.06 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - local effects
Disodium peroxodisulphate	7775-27-1	DNEL	18.2 mg/kg	Human, dermal	Worker (industry)	Chronic - systemic effects
Disodium peroxodisulphate	7775-27-1	DNEL	2.06 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Potassium nitrate	7757-79-1	PNEC	0.45 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
Potassium nitrate	7757-79-1	PNEC	0.045 mg/l	Aquatic organisms	Marine water	Short-term (single instance)
Potassium nitrate	7757-79-1	PNEC	18 mg/l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)
Potassium nitrate	7757-79-1	PNEC	4.5 mg/l	Aquatic organisms	Water	Intermittent release
Disodium peroxodisulphate	7775-27-1	PNEC	0.0763 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	3.6 mg/l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	0.275 mg/kg	Benthic organisms	Sediments	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	0.0396 mg/kg	Pelagic organisms	Sediments	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	0.015 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	0.763 mg/l	Aquatic organisms	Water	Intermittent release
Disodium peroxodisulphate	7775-27-1	PNEC	0.011 mg/l	Aquatic organisms	Marine water	Short-term (single instance)

8.2 Exposure controls

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
 Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)



Eye/face protection

Wear eye/face protection. Use safety goggle with side protection. Use protective eyewear to guard against splash of liquids. EN 166.

Skin protection

- Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Protective gloves - Splash protection

Recommended protective gloves (trademark/manufacturer): UVEX u-chem UVEX u-fit,

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dust/spray/gases. In case of inadequate ventilation wear respiratory protection. Combination filtering device (EN 141). Particulate filter device (EN 143).

Chemical protective clothing

Wear suitable protective clothing.

Environmental exposure controls

Before discharge of the waste water into a municipal waste water treatment facility the product normally needs to be neutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Colour	various
Odour	characteristic

Other safety parameters

pH (value)	12.2 – 13 (water: 10 ^{g/l} , 20 °C) * (alkaline)
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not applicable
Evaporation rate	not determined
Flammability (solid, gas)	non-combustible
Explosion limits of dust clouds	not determined

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

Vapour pressure	not determined
Density	not determined
Vapour density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none
9.2 Other information	
Solvent content	0 %
Solid content	100 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

Exhibits an exothermic reaction (with): acids

Dangerous/dangerous reactions with: base metals (formation of hydrogen)

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Disodium peroxodisulphate	7775-27-1	Oral	1,200 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Potassium nitrate	7757-79-1	LC50	1,378 mg/l	Fish	96 h
Potassium nitrate	7757-79-1	EC50	490 mg/l	Aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Potassium nitrate	7757-79-1	EC50	490 mg/l	Aquatic invertebrates	24 h
Potassium nitrate	7757-79-1	ErC50	>1,700 mg/l	Algae	10 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

The application solution can be disposed in the sewage system, taking into account technical and national regulations.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

Properties of waste which render it hazardous

HP 4 Irritant - skin irritation and eye damage.
HP 8 Corrosive.

List of wastes

Waste catalogue ordinance (Germany)

Assign arising waste to a waste code according to the national list of waste

- Product

20 01 15x Alkalines.

- Product residues

15 01 10x Packaging containing residues of or contaminated by dangerous substances.

- Packagings

15 01 02 Plastic packaging.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	3262
14.2	UN proper shipping name	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
	Technical name (hazardous ingredients)	sodium hydroxide, potassium nitrate
14.3	Transport hazard class(es)	
	Class	8 (corrosive substances)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
 Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.


14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)


UN number	3262
Proper shipping name	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Class	8
Classification code	C6
Packing group	II
Danger label(s)	8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X

International Maritime Dangerous Goods Code (IMDG)

UN number	3262
Proper shipping name	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Class	8
Marine pollutant	-
Packing group	II
Danger label(s)	8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-B
Stowage category	B
Segregation group	18 - Alkalis

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	3262
Proper shipping name	Corrosive solid, basic, inorganic, n.o.s.
Class	8
Packing group	II
Danger label(s)	8



Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Deco-Paint Directive (2004/42/EC)

VOC content 0.046 %

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 0 %

Regulation 648/2004/EC on detergents

Labelling of contents	
Constituents	Weight % content (or range)
Phosphates	30 % and more

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

Abbr.	Descriptions of used abbreviations
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
TWA	Time-weighted average
VOC	Volatile Organic Compounds
VPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

TM DESANA MAX FP

Version number: GHS 10.1
Replaces version of: 2018-10-17 (GHS 9)

Revision: 2018-11-06

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.